IBM Engineering Specification: 26P0381 EC: N84394

# IBM Requirements for Purchased Electronic Components Used in a Lead(Pb)-Free Solder System, including Restriction on Hazardous Substances (RoHS)

**Responsible Engineer:** M. Lauri (laurim@us.ibm.com)

Technical Approvals: <u>Actives, Optics, Passives:</u>

R. Cremins (cremir@us.ibm.com)

**Logic CPU:** 

M. Lauri(laurim@us.ibm.com)

**Logic Standard:** 

J. Drummond (jedrummond@us.ibm.com)

**Memory:** 

D. Gifford(dgifford@us.ibm.com)

Package and Reliability:

C. Grosskopf (grossc@us.ibm.com)

**Environmental Compliance:** 

M. Fletcher (chamberm@us.ibm.com)

**ECAT:** 

T. Lewis (theron@us.ibm.com)

**Document Liaison:** J. Tarm. jasmtarm@sg.ibm.com

Previous EC Level	Current EC Level
J38428	N84394
9-8-11	10-12-20

IBM Engineering Specification: 26P0381

## **Table of Contents**

EC: N84394

Section	Section Title	Page
1	Scope	3
2	Applicability	3
3	Precedence	3
4	Documents Replaced by This Specification	3
5	Referenced Documents	4
6	Exceptions	4
7	Additional Requirements	4
8	Clarifications Regarding Memory DIMMS and Other Subassemblies	4

IBM Engineering Specification: 26P0381 EC: N84394

#### **1. Scope:**

This specification defines IBM's requirements for procured RoHS compliant electronic components used in a lead (Pb)-free solder system, by IBM or IBM authorized subcontractors.

#### 2. Applicability:

To be applicable, this specification shall be referenced on the IBM Part Number Drawing, or applicable procurement document and shall apply to all purchases made under that Part Number by IBM, IBM's Affiliates, or any third parties purchasing the product to IBM's part number.

#### 3. Precedence:

In case of conflict between IBM requirements, the order of precedence provisions set forth in the Applicable agreement shall apply. In the event of an inconsistency in the technical requirements, the following order of precedence shall apply:

IBM Written Waivers (mutually agreed in writing)
IBM Part Number Drawing (or equivalent component description documentation)
This Specification
IBM Specification 873444
SQRD
Other IBM Specifications
Referenced Industry Standards
Supplier Technical Specifications - (including such items as: electrical performance specs, quality and reliability commitments etc.)

## 4. Documents Replaced By This Specification:

The following IBM specifications have been replaced by this specification:

IBM Specification	Specification Title
None	None

IBM Engineering Specification: 26P0381 EC: N84394

#### **5. Referenced Documents:**

The following documents in their current revision or successor form a part of this specification and Suppliers are required to meet all the specifications listed below. In case of conflict see Section 3 "Precedence".

Document Number	Document Title
03N6596	IBM Supplier Quality Requirements Document (SQRD)
873444	Product Quality Addendum [PQA] for Purchased Electronic Components
46G3772	Baseline Environmental Requirements for Supplier Deliverables to IBM
97P3864	Compliance Requirements for the European Union Directive (and other jurisdictions) on the Restriction of the Use of Certain Hazardous Substances (RoHS) in Electrical and Electronic Equipment for IBM Products.

Additional IBM Environmental information can be found at:

http://www-03.ibm.com/procurement/proweb.nsf/ContentDocsByTitle/United+States~Information+for+suppliers

## 6. Exceptions:

Any exception to the requirements of this specification shall constitute a change that must be approved in writing by IBM and documented in a Supplier Quality Document (SQD).

## 7. Additional Requirements:

See IBM Specifications 46G3772, 97P3864 and 873444 for additional requirements.

### 8. Clarifications Regarding Memory DIMMS and Other Subassemblies:

Modules and subassemblies include but are not limited to the following: memory DIMMs, crystal oscillator modules, real-time clock modules, fiber optic transceivers, BGA packages (with decoupling capacitors, resistors etc.) and passive components with internal subassemblies.

All components soldered to a subassembly must meet the requirements of this specification.