

## DB2 Web Query System Variables

System variables are predefined and automatically supplied by the system when a procedure references them. System variables have names that begin with a single ampersand (&). Examples of these variables are &FOCFEXNAME, which indicates the name of the report that is running, and &DATE, which indicates the current date.

The following table lists the system variables available in DB2 Web Query.

Variable	Format or value	Description
<b>&amp;DATE</b>	MM/DD/YY	Returns the current date.
<b>&amp;DATE<math>_{fmt}</math></b>	Any date format.	Returns the current date, where $_{fmt}$ can be any valid date format. Because many date format options can be appended to the prefix $_{DATE}$ to form one of these variable names, you should avoid using DATE as the prefix when creating a variable name.
<b>&amp;DMY</b>	DDMMYY	Returns the current date.
<b>&amp;DMYY</b>	DDMMCCYY	Returns the current (four-digit year) date.
<b>&amp;FOCCODEPAGE</b>	Any integer value	Returns the code page being used by the server.
<b>&amp;FOCFEXNAME</b>		Returns the name of the FOCEXEC running. This variable differs from the &FOCFOCEXEC variable because &FOCFOCEXEC returns the name of the calling FOCEXEC only.
<b>&amp;FOCFIELDNAME</b>	NEW OLD NOTRUNC	Returns a string indicating whether long and qualified field names are supported. A value of OLD means that they are not supported; NEW means that they are supported; and NOTRUNC means that they are supported, but unique truncations of

		field names cannot be used.
<b>&amp;FOCFOCEXEC</b>		Returns the fully qualified path for the procedure.
<b>&amp;FOCMODE</b>	AS400	Identifies the operating environment.
<b>&amp;FOCNEXTPAGE</b>	0	Variable whose value is determined by the last page number used by the last report. Its value is one more than the last page number used in the last report.
<b>&amp;FOCQUALCHAR</b>	. : ! %   \	Returns the character used to separate the components of qualified field names.
<b>&amp;FOCREL</b>	release number	Identifies the FOCUS Release number (for example, 6.5 or 6.8).
<b>&amp;FOCSBORDER</b>	ON OFF	Whether solid borders are used in full-screen mode.
<b>&amp;FOCUSER</b>		Returns the connected user ID. Similar to the GETUSER function.
<b>&amp;MR_FULL_FEXNAME</b>		Returns the full FEX name. This is the same name that appears in the DB2 Web Query Managed Reporting (MR) interface from the web browser.
<b>&amp;MDY</b>	MMDDYY	Returns the current date.
<b>&amp;MDYY</b>	MMDDCCYY	Returns the current (four-digit year) date.
<b>&amp;TOD</b>	HH.MM.SS	Returns the current time.
<b>&amp;YMD</b>	YYMMDD	Returns the current date.
<b>&amp;YYMD</b>	CCYYMMDD	Returns the current (four-digit year) date.