

Gentran Audit Notification Service


Purpose: Documentation on how to setup Gentran Audit Notification service using Office 365 smtp relay.

Contents

- Gentran Audit Notification Service 1
 - Exchange Online..... 1
 - Gentran Server 2
 - Gentran Server: Windows Registry 3
 - Audit Notification – Test 4


Exchange Online

1. Navigate to Exchange Online Portal
https://outlook.office365.com/ecp/?rfr=Admin_o365&exsvurl=1&mkt=en-US&Realm=candle-lite.com
2. Locate recipient mailbox – user@candle-lite.com (Must have O365 E1 or higher license)
3. Select Edit (Pencil Icon)
4. Navigate to Mailbox Delegation
5. Associate permissions for genadmin@candle-lite.com on user mailbox.
 - a. Send as
 - b. Send on behalf




Gentran Server

1. RDP to EDIServer using named account:
 - a. Username: GenAdmin
 - b. Password: EDICL10
2. Launch application **Gentran Server**
3. Navigate to Gentran Server System Configuration
 - a. Tab: Audit/Notification
 - b. Select: Server under Audit/Notification Server section



4. Select notifications tab:
 - a. Set Full Name: GServer@candle-lite.com
 - b. Email Address: Select valid user mailbox @candle-lite.com
 - c. Smtg server/port: com01e.mail.protection.outlook.com / 25



Gentran Server: Windows Registry

1. Open application: regedit.exe (run as admin)
2. Navigate to the path: HKEY_LOCAL_MACHINE\SOFTWARE\Wow6432Node\Sterling Commerce\GENTRAN\AuditNotification\5.2\Server
3. Enter in SMTP field values manually
 - a. SMTPAccountName: blank
 - b. SMTPAcctPassword: blank
 - c. SMTPEmailAddress: valid user email address (@cdle-lite.com)
 - d. SMTPFullName: Gserver@cdle-lite.com
 - e. SMTPLogFile: C:\Log\BADMAIL.log
 - f. SMTPPort: 25
 - g. SMTPServer: candlelite-com01e.mail.protection.outlook.com


ab	SMTPAcctName	REG_SZ	
ab	SMTPAcctPassword	REG_SZ	
ab	SMTPEmailAddress	REG_SZ	Darnado@cdle-lite.com
ab	SMTPFullName	REG_SZ	GServer@cdle-lite.com
ab	SMTPLogFile	REG_SZ	C:\Log\BADMAIL.log
ab	SMTPPort	REG_SZ	25
ab	SMTPServer	REG_SZ	candlelite-com01e.mail.protection.outlook.com

4. Close registry editor
5. **Reboot** Windows server
 - a. **Stop Gentran** services prior to restarting
 - i. net stop "GENTRAN:Server Executive"
 - ii. net stop "GENTRAN:Server Communications"
 - iii. net stop "GENTRAN:Server Mailbox"


iv. net stop "GENTRAN Audit Notification"

Audit Notification – Test


1. After Gentran Windows Server reboot **Start Gentran** services
 - a. net start "GENTRAN Audit Notification"
 - b. net start "GENTRAN:Server Mailbox"
 - c. net start "GENTRAN:Server Communications"
 - d. net start "GENTRAN:Server Executive"
2. Launch Gentran Launch application Gentran Server
3. Navigate to Gentran Server System Configuration
4. Tab: Audit/Notification



5. Select: Operators
6. Select an Operator by double clicking



7. Select "test" from the email section



8. A successful test will show the following dialogue

