IBM TRIRIGA Application Suite 11.0 Compatibility Matrix

Important

This IBM® TRIRIGA® Application Suite (TAS) 11.0 Compatibility Matrix was posted on **June 13, 2022** and may have been updated. **The only valid version of this document is currently posted on the <u>Compatibility Matrix for IBM TRIRIGA Products</u> page on IBM Support. Before using the information provided in this document, make sure that you have the most current version. You can use <u>My Notifications</u> on IBM Support to subscribe to "IBM TRIRIGA Application Platform" and receive updates when the Support page is updated.**

The IBM TRIRIGA Application Suite (TAS) Compatibility Matrix provides a list of application servers, database servers, web servers, third-party servers, third-party components and operating systems (collectively "Environments") with which the IBM TRIRIGA Application Suite is currently certified as of the date hereof.

New implementations are advised to install the most current versions of the supported third-party software. If you are on an IBM TRIRIGA Application Suite version where a required third-party product is not currently supported, you will need to upgrade to a more current IBM TRIRIGA Application Suite release in order to be in compliance with the supported Environments.

This document is not a contract. This document, all information contained herein, and IBM's products and services are subject to change at any time with or without notice in IBM's sole and absolute discretion. Without limiting the foregoing, IBM reserves the right to change its support policies and to certify its IBM TRIRIGA Application Suite on new or different Environments and to de-certify its suite on any Environments. The information contained in this document does not affect or change IBM product specifications or warranties. Nothing in this document shall operate as an express or implied license or indemnity under the intellectual property rights of IBM or third parties. THE INFORMATION CONTAINED IN THIS DOCUMENT IS PROVIDED ON AN "AS IS" BASIS. In no event will IBM be liable for damages arising directly or indirectly from any use of the information contained in this document or from any changes to the information contained in this document.

Evolving computer software practices are leading to more agile responsive software management. Continuous delivery of software updates, such as the maintenance with Evergreen browsers such as Chrome and Firefox, may impact existing functionality. In such an event, IBM will review the changes, and fix of these situations may require suite fix packs to restore functionality.

To promote using current suite releases, adopting a continuous-delivery model, and to easily show customers and IBM TRIRIGA Support that a suite install may be due for an update, the Administrator Console's System Status now displays a warning if the suite build is over six months old. It is very important to keep up to date with suite releases and fix packs for security, stability, performance, and overall improvements.

To change the time period from six months, you can add the following property to the **TRIRIGAWEB.properties** file: **BUILD_DATE_WARNING=XXX**, where **XXX** is the number of days before the Administrator Console starts to display the warning message. Be aware that there is a risk when you remain on an un-patched suite version as bug fixes and vulnerability fixes are delivered with every fix pack.

See IBM Support for a complete list of supported versions of the IBM TRIRIGA Application Suite.

IBM TRIRIGA Application Version

Name	Supported Version	Notes
IBM TRIRIGA Applications	11.0, 10.8.0, 10.7.0, 10.6.1, 10.6.0, 10.5.3	Language packs for the following languages are available for IBM TRIRIGA 11.0: Arabic, Brazilian Portuguese, British English, Czech, Danish, Dutch, Finnish, French, German, Hebrew, Hungarian, Italian, Japanese, Korean, Norwegian, Polish, Russian, Simplified Chinese, Spanish, Swedish, Traditional Chinese, and US English. Starting with 11.0 / 4.0, V.R.F refers to the Version, Release, and Fix Pack number of a release. For example, Fix Pack 4.0.1. Prior to 11.0 / 4.0, V.R.M.F referred to the Version, Release, Modification (Mod), and Fix Pack number of a release. For example, Fix Pack 10.6.1.1 or Fix Pack 3.6.1.1.

Container Platform Compatibility

Container Option	Supported Version	Notes
Red Hat OpenShift Container Platform (OCP)	4.6, 4.8, or higher long-term-support versions while they remain in support	TAS is deployed on Red Hat OpenShift only. The legacy installer-based version of TRIRIGA is not available as a containerized application and is not certified as compatible with, or not supported to run on, any container platform.

Database Compatibility

See the **Best Practices for System Performance** for sizing and other recommendations.

IBM TRIRIGA Application Suite (TAS) requires an instance of a database management system (DBMS, such as IBM Db2, Oracle or Microsoft SQL Server). An instance of Db2 can be deployed into the IBM Db2 Warehouse (Db2wh) service that is provided by IBM Cloud Pak for Data (CP4D), the entitlement for which is included with TAS. The IBM Cloud Pak for Data (CP4D) platform operator is available in the IBM Operator Catalog.

Database Option	Supported Version	Notes
IBM Cloud Pak for Data (CP4D) with IBM Db2 Warehouse (Db2wh)	CP4D 4.0 or higher Db2wh 11.5 or higher	CP4D requires ReadWriteMany (RWX) storage access mode which is solved differently by different cloud platforms. Some cloud platforms do not include RWX in managed OpenShift Container Platform (OCP) environments. OpenShift Container Storage (OCS) can be used.

If preferred, IBM TRIRIGA Application Suite (TAS) can work with one of the following external database management systems (DBMS). The database must be accessible from the OpenShift cluster by using Transport Layer Security (TLS).

IBM TRIRIGA will support future versions of the vendor's database if the vendor does not remove, or explicitly or inadvertently disable, functionality that IBM TRIRIGA products rely on. Although future versions are supported, any issue that is introduced as a result of a database upgrade might require an IBM TRIRIGA Application Suite fix pack or upgrade to be fully supported.

Database Options	Supported Version	Notes
IBM Db2 Standard Edition for Linux, UNIX, and Windows	11.5	Db2 is only supported when Db2 is run on Linux or Windows Server 2019, 2016. Also supported on Enterprise Server Edition.
Oracle (Enterprise & Standard)	19c	Oracle is only supported when run on Red Hat Enterprise Linux, AIX, or Windows Server 2019, 2016.
Microsoft SQL Server	2019	Microsoft SQL Server requires JDBCDriver JTDS 1.3.1 and is only supported on Windows 2019, 2016.

Desktop Client Compatibility

Third-Party Components	Supported Version	Notes
Microsoft Excel Formats	.xls, .xlsx, .xlsm	Excel sheets that are saved in Microsoft Excel formatting are required if you use IBM TRIRIGA Offline forms. See the IBM TRIRIGA Offline documentation for information on supported formulas.
Microsoft Project	2019	XML, Extensible Markup Language, is Microsoft's only supported method for interchanging project data with other project management applications.
Microsoft Windows	10	Minimum hardware requirements: 2 GHz CPU, 8 GB RAM, 100 Mbps NIC, 1280x1024 resolution.
macOS	11.6, 10.15	Minimum hardware requirements: 2 GHz CPU, 8 GB RAM, 100 Mbps NIC, 1280x1024 resolution. CAD Integrator is not supported on macOS.
BIRT Report Designer	4.6	Required for BIRT Report development. Requires Java 8.
Microsoft Edge	94	These versions are the minimum versions that are supported for each browser.
Mozilla Firefox	93, ESR 91	IBM TRIRIGA Perceptive Applications require the support of modern web
Apple Safari	15	specifications to function optimally. Only Evergreen browsers (Chrome, Firefox, Edge, and Safari) are supported when using Perceptive Applications or creating
Google Chrome	94	custom views in the IBM TRIRIGA UX Framework.

IBM TRIRIGA UX Framework & Perceptive Apps

IBM TRIRIGA will support future versions of a vendor's operating system or browser if the vendor does not remove, or explicitly or inadvertently disable, functionality that IBM TRIRIGA products rely on. Although future versions are supported, any issue that is introduced as a result of an operating system or browser upgrade might require an IBM TRIRIGA Application Suite fix pack or upgrade to be fully supported.

Operating Systems / Browsers	Minimum Supported Version	Notes
Apple iOS / iPadOS (Safari, Chrome)	15	Applications that are built on the IBM TRIRIGA UX Framework, including IBM TRIRIGA Perceptive Applications, support the minimum versions of the operating systems shown. For desktop support requirements, see the Desktop Client Compatibility section above.
Google Android (Chrome)	12, 11, 10	
macOS (Safari, Chrome)	11.6, 10.15	IBM TRIRIGA supports the UX Framework components that TRIRIGA delivers and documents on the UX component documentation page. Code added
Microsoft Windows tablet (Edge, Chrome)	11, 10	around components supplied by TRIRIGA, such as HTML, JavaScript, or third-party code, is the responsibility of the developer.
Microsoft Windows laptop/desktop (Edge, Chrome, Firefox)	11, 10	For information about offline support, see UX Offline Mode . IBM TRIRIGA UX components are available in Polymer version 3.1.0 and Polymer version 1.6.1. The as-delivered IBM TRIRIGA UX Applications are rendered with Polymer version 3.1.0 and Polymer version 1.6.1. For Polymer version 3.1.0, elements and components from the Polymer Catalog, such as iron and paper, are the most current versions as of February 20, 2019. For Polymer version 1.6.1, elements and components from the Polymer Catalog, such as iron, paper, gold, and platinum, are the most current versions as of October 20, 2016. Applications that are written on the IBM TRIRIGA UX Framework, including Perceptive Applications, might need to be updated to support the version of Polymer delivered with the IBM TRIRIGA Application Suite. For information about Microsoft's support for Windows 10, see Windows Windows Windows Windows IIII (Windows III) see Windows Windows IIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIII

IBM TRIRIGA Advanced Room Search

IBM TRIRIGA Advanced Room Search is an add-in for Microsoft Outlook that replaces the IBM TRIRIGA Workplace Reservation Manager add-in for Microsoft Outlook. The Advanced Room Search add-in uses Microsoft's HTML5 add-in architecture and is delivered by using the TRIRIGA UX Framework. For more information, see <u>UX Room Search</u> add-in for Outlook.

Note: To ensure that the Advanced Room Search add-in works correctly on desktop Outlook clients on Windows, you must use the Microsoft WebView2 embedded browsers. For more information, see Browsers used by Office Add-ins.

IBM TRIRIGA Advanced Room Search supports user authentication via standard TRIRIGA user name and password and Exchange identity token technology for Single Sign-On (SSO) solutions. It also supports Service Provider (SP) initiated SAML, OAuth, or OpenID Connect (OIDC) SSO. It does not support Identity Provider (IdP) initiated SSO. For more information, see Requirements for and limitations of SSO requests in the TRIRIGA Application Platform.

Supported Outlook Version	Supported Version	Notes
Windows: Outlook 2019 1902 Mac: Outlook 2019 16.28 Outlook for Microsoft 365 (continuous delivery)	11.0	IBM TRIRIGA Advanced Room Search functions interface with Microsoft libraries and API's which may be subject to continuous revisions by Microsoft. As a result, Advanced Room Search features may be vulnerable to unforeseen impact introduced by such changes. There is a limitation where the Microsoft JavaScript Library does not support all functions (including those required by Advanced Room Search) when using Outlook for Microsoft 365 with Microsoft Exchange servers on premise. Microsoft has not yet published a roadmap that indicates when the library will be fully supported on Outlook for Microsoft 365 on premise.

IBM TRIRIGA CAD Integrator/Publisher

IBM TRIRIGA CAD Integrator/Publisher for Autodesk AutoCAD supports native, Basic, NTLM, SAML, OAuth, or other Single Sign-On (SSO) technologies for providing user authentication.

IBM TRIRIGA CAD Integrator/Publisher for Bentley MicroStation supports native, Basic, and NTLM technologies for providing user authentication. It does not support such technologies as SAML, OAuth, or other Single Sign-On (SSO) solutions. For more information, see Requirements for and limitations of SSO requests in the TRIRIGA Application Platform.

Product	Supported Version	Notes
IBM TRIRIGA CAD Integrator/Publisher	13.0	Installation requires full administrator access. A 64-bit operating system is required (such as Microsoft Windows 10, 64-bit). IBM SDK Java 1.8_64 or Oracle Java SE 8 Update 291 or higher is required. Future Oracle Java fix packs, but not necessarily updates, are supported but might require a fix pack. IBM TRIRIGA CAD Integrator/Publisher 13.0 for Autodesk AutoCAD requires IBM TRIRIGA Application Suite 11.0.
Autodesk AutoCAD, Autodesk AutoCAD Architecture	2022, 2021, 2020, 2019	16 GB RAM recommended. For large drawings, 32 GB RAM recommended. AutoCAD requires a 64-bit JRE.
Bentley MicroStation	Connect Edition	16 GB RAM recommended. For large drawings, 32 GB RAM recommended. All operating systems require a 64-bit JRE, and Microsoft .Net 4.6.2.

IBM TRIRIGA Connector for BIM

IBM TRIRIGA Connector for BIM supports native and Basic technologies for providing user authentication. It also supports such technologies as SAML, OAuth, or other Single Sign-On (SSO) solutions. It does not currently support NTLM technologies.

Product	Supported Version	Notes
IBM TRIRIGA Connector for BIM	4.0, 3.8.0, 3.7.0.1, 3.7.0, 3.6.0, 2.6.0.3	IBM TRIRIGA Connector for BIM requires Java 8 64-bit JRE for installation.
Autodesk Revit	2022, 2021, 2020, 2019	Supported by IBM TRIRIGA Connector for BIM 4.0.
	2021, 2020, 2019, 2018	Supported by IBM TRIRIGA Connector for BIM 3.8.0 and 3.7.0.1.
	2020, 2019, 2018	Supported by IBM TRIRIGA Connector for BIM 3.7.0.

IBM TRIRIGA Application Suite Connectors

IBM TRIRIGA supports connections to these third-party systems. For support of the third party itself, contact the vendor directly.

Product	Supported Version	Notes
Esri ArcGIS Server	10.6	
Esri ArcGIS API for JavaScript	4.15	
ENERGY STAR Portfolio Manager	14	The ENERGY STAR Portfolio Manager Web Services API is used for the IBM TRIRIGA Connector for Energy Star Benchmarking. ENERGY STAR Portfolio Manager Web Services release notes can be found at the following link: Release Notes
IBM TRIRIGA Custom Class Loader	4.0	Integrations written for IBM TRIRIGA Custom Class Loader must be compatible with the IBM or Oracle Java 8 version that is specifically running on your application server.
IBM TRIRIGA Connector for Business Applications	4.0	Integrations built for IBM TRIRIGA Connector for Business Applications must be compatible with Apache CXF 3.2.13 web service framework. More information about Apache CXF can be found at the following link: Apache CXF IBM TRIRIGA Connector for Business Applications documentation can found at the following link: Integrating data with the TRIRIGA Connector for Business Applications

IBM TRIRIGA CMIS

Product	Supported Version	Notes
CMIS	1.1	IBM TRIRIGA can be configured to store documents in Enterprise Content Management (ECM) systems that support the Content Management Interoperability Services (CMIS) ECM gateway Version 1.1 of the CMIS standard, as established by OASIS. These gateways are specific to the vendor of your particular ECM and should be installed accordingly if one does not already exist
		in your organization.

Web Server & Third-Party Server Compatibility

IBM TRIRIGA Application Suite (TAS) supports the connection to these third-party systems. For support of the third party itself, contact the vendor directly. IBM has tested a number of configurations with the web servers listed and has confirmed that they are compatible with TRIRIGA as configured in our lab.

However, configuration of web servers or third-party products is the responsibility of client IT teams. Technologies such as secure protocols (SSL), Single Sign-On (SSO), firewalls, certificates and network configurations can have downstream impact on the TRIRIGA environment when misconfigured. IBM cannot support the configuration of these other technologies and might recommend the engagement of a services team.

Category	Product or Component	Notes
Third-Party	OpenText Brava! for IBM Solutions	Supported Version: 16.4 Enterprise
Components	Mail (Incoming and Outgoing)	SMTP is used for outbound email. The incoming mail agent can be configured for use with IMAP, IMAPS, POP3, POP3S.
Single Sign-On		IBM TRIRIGA is compatible with Single Sign-On (SSO) when SSO has been configured properly. After TRIRIGA properties are enabled for SSO, TRIRIGA authentication trusts tokens that are provided by properly configured application servers with SSO.
	HTTP Header, Remote User, User Principal	TRIRIGA Support can assist with configuring TRIRIGA properties for SSO, but due to the number of possible configurations and supported products and technologies, TRIRIGA Support cannot assist in the configuration of SSO with WebSphere Liberty. For more information, see Requirements for and limitations of SSO requests in the TRIRIGA Application Platform .
		In this document, Single Sign-On (SSO) refers to the ability to have a single set of credentials that use a directory server for multiple applications. By definition, SSO is not the same as Seamless Sign-On, which may not challenge a user for credentials during the access process.