

C:\Windows\system32>**iscsicli sessionlist**
Microsoft iSCSI Initiator Version 6.3 Build 9600

Total of 11 sessions

Session Id : fffffe000426df010-4000013700000001
Initiator Node Name : iqn.1991-05.com.microsoft:win2012-ve-g.sdi.wsc
Target Node Name : (null)
Target Name : iqn.1997-05.com.amazon:sgw-dfaf4fb6-mediachanger
ISID : 40 00 01 37 00 01
TSID : 02 00
Number Connections : 1

Connections:

Connection Id : fffffe000426df010-0
Initiator Portal : 0.0.0.0/192
Target Portal : 192.168.62.237/3260
CID : 01 00

Devices:

Device Type : Medium Changer
Device Number : 0
Storage Device Type : 48
Partition Number : -1
Device Description : IBM 3584 Tape Library
Reported Mappings : Port 3, Bus 0, Target Id 0, LUN 0
Location : Bus Number 0, Target Id 0, LUN 0
Initiator Name : ROOT\ISCSIPRT\0000_0
Target Name : iqn.1997-05.com.amazon:sgw-dfaf4fb6-
mediachanger
Device Interface Name :
\\?\scsi#changer&ven_ibm&prod_03584132#1&1c121344&0&000000#{53f56310-
b6bf-11d0-94f2-00a0c91efb8b}
Legacy Device Name : \\.\changer0
Device Instance : 0xc

Session Id : fffffe000426df010-4000013700000002
Initiator Node Name : iqn.1991-05.com.microsoft:win2012-ve-g.sdi.wsc
Target Node Name : (null)
Target Name : iqn.1997-05.com.amazon:sgw-dfaf4fb6-tapedrive-01
ISID : 40 00 01 37 00 01
TSID : 03 00
Number Connections : 1

Connections:

Connection Id : fffffe000426df010-1
Initiator Portal : 0.0.0.0/6373
Target Portal : 192.168.62.237/3260
CID : 01 00

Devices:

Device Type : Tape

Device Number : 4801110
Storage Device Type : 32
Partition Number : -1
Device Description : IBM ULTRIUM 5 3580 TAPE DRIVE
Reported Mappings : Port 3, Bus 0, Target Id 1, LUN 0
Location : Bus Number 0, Target Id 1, LUN 0
Initiator Name : ROOT\ISCSIPRT\0000_0
Target Name : iqn.1997-05.com.amazon:sgw-dfaf4fb6-tapedrive-01

Device Interface Name :
\\?\scsi#sequential&ven_ibm&prod_ult3580-
td5#1&lc121344&0&000100#{53f5630b-b6bf-11d0-94f2-00a0c91efb8b}
Legacy Device Name : \\.\tape4801110
Device Instance : 0x2

Session Id : fffffe000426df010-40000137000000003
Initiator Node Name : iqn.1991-05.com.microsoft:win2012-ve-g.sdi.wsc
Target Node Name : (null)
Target Name : iqn.1997-05.com.amazon:sgw-dfaf4fb6-tapedrive-02
ISID : 40 00 01 37 00 01
TSID : 02 00
Number Connections : 1

Connections:

Connection Id : fffffe000426df010-2
Initiator Portal : 0.0.0.0/704
Target Portal : 192.168.62.237/3260
CID : 01 00

Devices:

Device Type : Tape
Device Number : 4801102
Storage Device Type : 32
Partition Number : -1
Device Description : IBM ULTRIUM 5 3580 TAPE DRIVE
Reported Mappings : Port 3, Bus 0, Target Id 2, LUN 0
Location : Bus Number 0, Target Id 2, LUN 0
Initiator Name : ROOT\ISCSIPRT\0000_0
Target Name : iqn.1997-05.com.amazon:sgw-dfaf4fb6-tapedrive-02

Device Interface Name :
\\?\scsi#sequential&ven_ibm&prod_ult3580-
td5#1&lc121344&0&000200#{53f5630b-b6bf-11d0-94f2-00a0c91efb8b}
Legacy Device Name : \\.\tape4801102
Device Instance : 0x3

Session Id : fffffe000426df010-40000137000000004
Initiator Node Name : iqn.1991-05.com.microsoft:win2012-ve-g.sdi.wsc
Target Node Name : (null)
Target Name : iqn.1997-05.com.amazon:sgw-dfaf4fb6-tapedrive-03
ISID : 40 00 01 37 00 01
TSID : 02 00
Number Connections : 1

Connections:

Connection Id : fffffe000426df010-3
Initiator Portal : 0.0.0.0/960
Target Portal : 192.168.62.237/3260
CID : 01 00

Devices:

Device Type : Tape
Device Number : 4801103
Storage Device Type : 32
Partition Number : -1
Device Description : IBM ULTRIUM 5 3580 TAPE DRIVE
Reported Mappings : Port 3, Bus 0, Target Id 3, LUN 0
Location : Bus Number 0, Target Id 3, LUN 0
Initiator Name : ROOT\ISCSIPRT\0000_0
Target Name : iqn.1997-05.com.amazon:sgw-dfaf4fb6-

tapedrive-03

Device Interface Name :
\\?\scsi#sequential&ven_ibm&prod_ult3580-
td5#1&lc121344&0&000300#{53f5630b-b6bf-11d0-94f2-00a0c91efb8b}
Legacy Device Name : \\.\tape4801103
Device Instance : 0x4

Session Id : fffffe000426df010-40000137000000005
Initiator Node Name : iqn.1991-05.com.microsoft:win2012-ve-g.sdi.wsc
Target Node Name : (null)
Target Name : iqn.1997-05.com.amazon:sgw-dfaf4fb6-tapedrive-04
ISID : 40 00 01 37 00 01
TSID : 02 00
Number Connections : 1

Connections:

Connection Id : fffffe000426df010-4
Initiator Portal : 0.0.0.0/1216
Target Portal : 192.168.62.237/3260
CID : 01 00

Devices:

Device Type : Tape
Device Number : 4801104
Storage Device Type : 32
Partition Number : -1
Device Description : IBM ULTRIUM 5 3580 TAPE DRIVE
Reported Mappings : Port 3, Bus 0, Target Id 4, LUN 0
Location : Bus Number 0, Target Id 4, LUN 0
Initiator Name : ROOT\ISCSIPRT\0000_0
Target Name : iqn.1997-05.com.amazon:sgw-dfaf4fb6-

tapedrive-04

Device Interface Name :
\\?\scsi#sequential&ven_ibm&prod_ult3580-
td5#1&lc121344&0&000400#{53f5630b-b6bf-11d0-94f2-00a0c91efb8b}

Legacy Device Name : \\.\tape4801104
Device Instance : 0x5

Session Id : fffffe000426df010-40000137000000006
Initiator Node Name : iqn.1991-05.com.microsoft:win2012-ve-g.sdi.wsc
Target Node Name : (null)
Target Name : iqn.1997-05.com.amazon:sgw-dfaf4fb6-tapedrive-05
ISID : 40 00 01 37 00 01
TSID : 02 00
Number Connections : 1

Connections:

Connection Id : fffffe000426df010-5
Initiator Portal : 0.0.0.0/1472
Target Portal : 192.168.62.237/3260
CID : 01 00

Devices:

Device Type : **Tape**
Device Number : 4801105
Storage Device Type : 32
Partition Number : -1
Device Description : IBM ULTRIUM 5 3580 TAPE DRIVE
Reported Mappings : Port 3, Bus 0, Target Id 5, LUN 0
Location : Bus Number 0, Target Id 5, LUN 0
Initiator Name : ROOT\ISCSIPRT\0000_0
Target Name : **iqn.1997-05.com.amazon:sgw-dfaf4fb6-tapedrive-05**

Device Interface Name :
\\?\scsi#sequential&ven_ibm&prod_ult3580-td5#1&lc121344&0&000500#{53f5630b-b6bf-11d0-94f2-00a0c91efb8b}

Legacy Device Name : \\.\tape4801105
Device Instance : 0x6

Session Id : fffffe000426df010-40000137000000007
Initiator Node Name : iqn.1991-05.com.microsoft:win2012-ve-g.sdi.wsc
Target Node Name : (null)
Target Name : iqn.1997-05.com.amazon:sgw-dfaf4fb6-tapedrive-06
ISID : 40 00 01 37 00 01
TSID : 02 00
Number Connections : 1

Connections:

Connection Id : fffffe000426df010-6
Initiator Portal : 0.0.0.0/1728
Target Portal : 192.168.62.237/3260
CID : 01 00

Devices:

Device Type : **Tape**
Device Number : 4801106
Storage Device Type : 32

Partition Number : -1
Device Description : IBM ULTRIUM 5 3580 TAPE DRIVE
Reported Mappings : Port 3, Bus 0, Target Id 6, LUN 0
Location : Bus Number 0, Target Id 6, LUN 0
Initiator Name : ROOT\ISCSIPRT\0000_0
Target Name : iqn.1997-05.com.amazon:sgw-dfaf4fb6-

tapedrive-06

Device Interface Name :
\\?\scsi#sequential&ven_ibm&prod_ult3580-
td5#1&lc121344&0&000600#{53f5630b-b6bf-11d0-94f2-00a0c91efb8b}
Legacy Device Name : \\.\tape4801106
Device Instance : 0x7

Session Id : fffffe000426df010-40000137000000008
Initiator Node Name : iqn.1991-05.com.microsoft:win2012-ve-g.sdi.wsc
Target Node Name : (null)
Target Name : iqn.1997-05.com.amazon:sgw-dfaf4fb6-tapedrive-07
ISID : 40 00 01 37 00 01
TSID : 02 00
Number Connections : 1

Connections:

Connection Id : fffffe000426df010-7
Initiator Portal : 0.0.0.0/1984
Target Portal : 192.168.62.237/3260
CID : 01 00

Devices:

Device Type : Tape
Device Number : 4801107
Storage Device Type : 32
Partition Number : -1
Device Description : IBM ULTRIUM 5 3580 TAPE DRIVE
Reported Mappings : Port 3, Bus 0, Target Id 7, LUN 0
Location : Bus Number 0, Target Id 7, LUN 0
Initiator Name : ROOT\ISCSIPRT\0000_0
Target Name : iqn.1997-05.com.amazon:sgw-dfaf4fb6-

tapedrive-07

Device Interface Name :
\\?\scsi#sequential&ven_ibm&prod_ult3580-
td5#1&lc121344&0&000700#{53f5630b-b6bf-11d0-94f2-00a0c91efb8b}
Legacy Device Name : \\.\tape4801107
Device Instance : 0x8

Session Id : fffffe000426df010-40000137000000009
Initiator Node Name : iqn.1991-05.com.microsoft:win2012-ve-g.sdi.wsc
Target Node Name : (null)
Target Name : iqn.1997-05.com.amazon:sgw-dfaf4fb6-tapedrive-08
ISID : 40 00 01 37 00 01
TSID : 02 00
Number Connections : 1

Connections:

Connection Id : fffffe000426df010-8
Initiator Portal : 0.0.0.0/2240
Target Portal : 192.168.62.237/3260
CID : 01 00

Devices:

Device Type : Tape
Device Number : 4801108
Storage Device Type : 32
Partition Number : -1
Device Description : IBM ULTRIUM 5 3580 TAPE DRIVE
Reported Mappings : Port 3, Bus 0, Target Id 8, LUN 0
Location : Bus Number 0, Target Id 8, LUN 0
Initiator Name : ROOT\ISCSIPRT\0000_0
Target Name : iqn.1997-05.com.amazon:sgw-dfaf4fb6-

tapedrive-08

Device Interface Name :
\\?\scsi#sequential&ven_ibm&prod_ult3580-
td5#1&lc121344&0&000800#{53f5630b-b6bf-11d0-94f2-00a0c91efb8b}
Legacy Device Name : \\.\tape4801108
Device Instance : 0x9

Session Id : fffffe000426df010-4000013700000000a
Initiator Node Name : iqn.1991-05.com.microsoft:win2012-ve-g.sdi.wsc
Target Node Name : (null)
Target Name : iqn.1997-05.com.amazon:sgw-dfaf4fb6-tapedrive-09
ISID : 40 00 01 37 00 01
TSID : 02 00
Number Connections : 1

Connections:

Connection Id : fffffe000426df010-9
Initiator Portal : 0.0.0.0/2496
Target Portal : 192.168.62.237/3260
CID : 01 00

Devices:

Device Type : Tape
Device Number : 4801109
Storage Device Type : 32
Partition Number : -1
Device Description : IBM ULTRIUM 5 3580 TAPE DRIVE
Reported Mappings : Port 3, Bus 0, Target Id 9, LUN 0
Location : Bus Number 0, Target Id 9, LUN 0
Initiator Name : ROOT\ISCSIPRT\0000_0
Target Name : iqn.1997-05.com.amazon:sgw-dfaf4fb6-

tapedrive-09

Device Interface Name :
\\?\scsi#sequential&ven_ibm&prod_ult3580-
td5#1&lc121344&0&000900#{53f5630b-b6bf-11d0-94f2-00a0c91efb8b}
Legacy Device Name : \\.\tape4801109
Device Instance : 0xa

Session Id : fffffe000426df010-400001370000000b
Initiator Node Name : iqn.1991-05.com.microsoft:win2012-ve-g.sdi.wsc
Target Node Name : (null)
Target Name : iqn.1997-05.com.amazon:sgw-dfaf4fb6-tapedrive-10
ISID : 40 00 01 37 00 01
TSID : 02 00
Number Connections : 1

Connections:

Connection Id : fffffe000426df010-a
Initiator Portal : 0.0.0.0/2752
Target Portal : 192.168.62.237/3260
CID : 01 00

Devices:

Device Type : **Tape**
Device Number : 4801101
Storage Device Type : 32
Partition Number : -1
Device Description : IBM ULTRIUM 5 3580 TAPE DRIVE
Reported Mappings : Port 3, Bus 0, Target Id 10, LUN 0
Location : Bus Number 0, Target Id 10, LUN 0
Initiator Name : ROOT\ISCSIPRT\0000_0
Target Name : **iqn.1997-05.com.amazon:sgw-dfaf4fb6-tapedrive-10**
Device Interface Name :
\\?\scsi#sequential&ven_ibm&prod_ult3580-td5#1&1c121344&0&000a00#{53f5630b-b6bf-11d0-94f2-00a0c91efb8b}
Legacy Device Name : **\\.\tape4801101**
Device Instance : 0xb

The operation completed successfully.