

# IBM Cognos Analytics 11.1.4 - Fix List



Component	APAR	Description
General Product	<a href="#">PH18443</a>	CONTENT LANGUAGE IS COMING EMPTY IF EMBEDDED_CONTENT/PRELOGINSAMPLE.HTML HAS BEEN ACCESSED IN ANOTHER WEB BROWSER
	<a href="#">PH17928</a>	ORA-00932: INCONSISTENT DATATYPES: EXPECTED NUMBER GOT DATE
	<a href="#">PH16712</a>	UNABLE TO USE CAST TO CONVERT A TIMESTAMP TO DATE IN GOOGLE BIGQUERY
	<a href="#">PH16504</a>	ENABLE CAST OF TIMESTAMP TO A DATE IN BIGQUERY TO REDUCE DECOMPOSITION
	<a href="#">PH16493</a>	UPGRADING FROM 11.0.11 TO 11.1.3 TURNS BACK PROMPT ME OPTION ON
	<a href="#">PH16454</a>	XQE-PLN-0248 ERROR OCCURS IN A REPORT USING COUNT DISTINCT ON THE ON-DEMAND TOOLBAR
	<a href="#">PH16333</a>	INVALID USE OF KEYWORD DISTINCT Against DB2
	<a href="#">PH16277</a>	DATA MODULE BASED DASHBOARD FAILS WITH ERROR 'V5 SYNTAX ERROR FOUND IN EXPRESSION' WHEN ADDING FILTER ON CHARACTER DATA
	<a href="#">PH16215</a>	RE-WRITE LITERAL USING EMBEDDED QUOTE SO THAT BIGQUERY WILL ACCEPT IT VS PARSER ERRORS THEIR DRIVER/SERVER THROW
	<a href="#">PH16164</a>	APPLYING CUSTOM FILTER WITH TIMESTAMP IS CAUSING LOCAL PROCESSING WITH GOOGLE BIGQUERY
	<a href="#">PH16022</a>	QUERY SERVICE RUNS OUT OF MEMORY WHILE EXECUTING THE PREDICT QUERY.
	<a href="#">PH15672</a>	DEFINED A CONCATENATION WHICH DQM IS PUSHING TO GOOGLE BIGQUERY, THE DB VENDOR REJECTS THE EXPRESSION
	<a href="#">PH15670</a>	Reduce query decomposition for BigQuery for CAST ( as VARCHAR(n)) expressions
	<a href="#">PH15668</a>	GOOGLE BIGQUERY'S NUMERIC TYPES DOES NOT WORK WITH CAST FUNCTION DUE TO DQM IS SETTING WITH DECIMAL IS OFF.
	<a href="#">PH15539</a>	RUN AS' AND 'NEW JOB' PANELS ARE EMPTY IF EMBEDDED_CONTENT/PRELOGINSAMPLE.HTML HAS BEEN ACCESSED IN ANOTHER WEB BROWSER TAB
	<a href="#">PH15371</a>	ADDING A ROLE TO A CUSTOM FOLDER IN CUSTOMIZATION WILL CAUSE A VERY SLOW LOGIN PROCESS

Component	APAR	Description
	<u>PH15235</u>	ERROR IN REPORT AFTER MIGRATING FROM CA 11.0.13 TO CA 11.1.3
	<u>PH15213</u>	XQE-PLN-0098 USING MONTH FUNCTION IN FILTER AGAINST SQLSERVER AND DQM
	<u>PH15189</u>	CALCULATION USING A CASE STATEMENT WITH AGGREGATE MINIMUM ONLY RETURNS 1 VALUE IN LIST VISUALIZATION
	<u>PH15144</u>	XQE-GEN-0005 NULLPOINTEREXCEPTION ERROR WHEN ITEMS HAVE DETAIL AGGREGATION = NOT APPLICABLE
	<u>PH15064</u>	REPORT PRODUCE A CROSS JOIN IF A DATA MODULE IS USED WITH A PACKAGE AND UPLOADED FILE
	<u>PH14995</u>	SLOW PERFORMANCE AGAINST PLANNING ANALYTICS WITH REPORT THAT CONTAINS MANY SIMPLE CALCULATIONS
	<u>PH14861</u>	UPGRADE FROM 11.0.13 TO 11.1.3 REPORTS FAIL WITH XQE-GEN-0005 INTERNAL ERROR FOUND: COM.COGNOS.XQE.AST.SQL.SQLCAST INCOMPATIBLE
	<u>PH14721</u>	USING INCLUDE OR EXCLUDE FILTER ON A CROSSTAB REPORT OUTPUT RETURNS XQE-PLN-0004 FOUND AN INTERNAL ERROR ON NODE 'V5DATAITEM'
	<u>PH14680</u>	DASHBOARD AGAINST A PA CUBE IS THROWING A LOT OF XQE ERRORS
	<u>PH14537</u>	VIEW TABULAR DATA FAILS FOR A QUERY WHICH CONTAINS A DATA ITEM THAT INCLUDES PARAMETER DEFINITION
	<u>PH14257</u>	DIFFERENCE IN TIME TAKEN TO OPEN AN ANALYSIS
	<u>PH14236</u>	WHEN USING A PARENT MEMBER WITH SPECIAL CHARACTER (APOSTROPHE), THE CHILD MEMBERS ARE NOT DISPLAYED IN ANALYSIS STUDIO.
	<u>PH14165</u>	POOR PERFORMANCE IN PA USING REST APIS AFTER MUN CHANGES
	<u>PH13841</u>	SQLSERVER STORED PROCEDURE IN DATABASE WITH DASH/HYPHEN IN NAME FAILS TO TEST IN DQM
	<u>PH13755</u>	XQE-PLN-0296 THE ARGUMENT AT POSITION 4 OF 'MEMBER' FROM THE DATA ITEM 'DATAITEM' CANNOT BE COERCED INTO A 'HIERARCHY' EXPRESSION
	<u>PH13748</u>	!MAPSUCCESS ERROR WHEN USING PA SUBSET PROPERTIES NESTED IN A SINGLE EDGE XTAB REPORT

Component	APAR	Description
	<u>PH13706</u>	XQE-PLN-0004 FOUND AN INTERNAL ERROR ON NODE 'V5EDGE'. GETTYPE()? (MIGRATED REPORTS FROM 10.2.2 > 11.0.13)
	<u>PH13699</u>	ERROR "XQE-GEN-0005 FOUND AN INTERNAL ERROR: JAVA.LANG.NULLPOINT EREXCEPTION" USING SHORTCUTS IN FM PROJECT (AND: BRIDGE TABLE).
	<u>PH13678</u>	XQE-GEN-0005 FOUND AN INTERNAL ERROR FOR QUERY WITH MASTER DETAIL AND CROSS JOIN
	<u>PH13677</u>	LIMITED FUNCTION SET RETURNS WARNING FOR TRUNC
	<u>PH13636</u>	NULL POINTER EXCEPTION USING TM1 CONNECTION TO PA
	<u>PH13432</u>	POWER CUBE name contains "&" ERRORS OUT WHEN DISPLAYING METADATA IN DASHBOARD
	<u>PH13430</u>	CUSTOM VIEW RE-SET TO DEFAULT WHEN CLOSING A REPORT VIEWED FROM A SHARED LINK
	<u>PH13412</u>	LIMITED FUNCTION SET RETURNS WARNING FOR TO_CHAR
	<u>PH13411</u>	XQE-PLN-0174 THE COLUMN C2 MUST BE CONTAINED IN AN AGGREGATE FUNCTION OR THE GROUP BY CLAUSE.
	<u>PH13253</u>	A BATCH JOB WITH BURST REPORTS EXECUTE IN PARALLEL WILL INTERMITTENTLY FAIL WITH ERROR XQE-GEN-0005
	<u>PH13145</u>	VECTORIZATION ERROR IN REPORTS.
	<u>PH13142</u>	NUMEROUS JAVA.UTIL.ABSTRACTCOLLECTION.ADDALL ERRORS
	<u>PH13140</u>	XQE-GEN-0002 AN UNEXPECTED EXCEPTION OCCURRED: JAVA.LANG.NULLPOINTEREXCEPTION
	<u>PH13111</u>	CONNECTION TO PA CUBE LOST.
	<u>PH12937</u>	"ORA-00942: TABLE OR VIEW DOES NOT EXIST" OCCURS EVEN THOUGH THERE IT IS.
	<u>PH12841</u>	CONTENT MANAGER WITH GATEWAY INSTALLATION OF 11.1.2 FAILS TO RESTART
	<u>PH12812</u>	DASHBOARD VISUALIZATION SET WITH REFRESH AUTOMATICALLY IS NOT UPDATED WITH LATEST DATABASE DATA

Component	APAR	Description
	<u>PH12706</u>	WHEN A FILTER CONDITION IN A DASHBOARD IS BASED ON A DATA ITEM CONTAINING AN APOSTROPHE ( ' ) NO DATA IS RETURNED
	<u>PH12604</u>	XQE-PLN-0115 AN INVALID VALUE WAS ASSIGNED TO PROMPT
	<u>PH12473</u>	XQE-PLN-0307 REFERENCE TO MULTIPLE CUBES AND NAMESPACES
	<u>PH12452</u>	CLOSING OPEN REPORTS IN A TAB BRINGS USER BACK TO WELCOME PAGE INSTEAD OF SET HOMEPAGE
	<u>PH12324</u>	SUMMARY VISUALIZATION IS EMPTY WHEN DATA USED AN APOSTROPHE ( ' )
	<u>PH12317</u>	QUERY CANNOT BE PLANNED WITH 4 OR MORE CASE WHEN
	<u>PH12300</u>	VALUES OF RUNNING-COUNT ARE INCONSISTENT BETWEEN CQM AND DQM WHEN QUERIES ARE JOINED.
	<u>PH12238</u>	REDUCE TIME FOR THE FIRST REPORT RUN
	<u>PH11956</u>	ANALYSIS STUDIO CROSSTAB WITH A MEASURE WHICH INCLUDES A AGGREGATION RULE LAST BASED ON DIMENSION - ERROR
	<u>PH11880</u>	ADVANCED SETTING LARGE WORKSHEET CAUSES BLANK CELLS WHEN GROUP REPEATING CELLS IS DISABLED
	<u>PH11865</u>	FILTER AND GROUPBY CLAUSE DROPPED FOR A COMPATIBLE QUERY MODE CONNECTION AGAINST VERTICA DATABASE
	<u>PH11951</u>	XQE-DAT-0001 INVALID USE OF KEYWORD DISTINCT OR ALL WITH FUNCTION COUNT
	<u>PH11750</u>	DRILL THROUGH ISSUE (BAD PERFORMANCE OR EVEN ERROR) IN COGNOS ANALYTICS 11.0.13 AFTER UPGRADE FROM COGNOS BI 10.2.2
	<u>PH11689</u>	SNOWFLAKE USER-DEFINED FUNCTIONS DO NOT APPEAR IN METADATA IMPORT
	<u>PH11682</u>	COMPLEX CALCULATION LOCALLY PROCESSED IN DQM
	<u>PH11633</u>	INVALID IDENTIFIER WITH SNOWFLAKE USER-DEFINED FUNCTION
	<u>PH11676</u>	AGGREGATE ADVISOR AGAINST A GERMAN CUBE MODEL WILL FAIL
	<u>PH11522</u>	UNNECESSARY OIDC LOGIN WHEN RUNNING A PROMPTED CLASSIC VIEWER REPORT IN THE BACKGROUND THAT RETURNS AN ERROR AND CLOSING IT

Component	APAR	Description
	<a href="#"><u>PH11507</u></a>	REPORT FAILS WITH JAVA.LANG.ARRAYINDEXOUTOFBOUNDSEXCEPTION XVECTORCASTLONGTODOUBLE
	<a href="#"><u>PH11506</u></a>	REPORT FAILS WITH JAVA.LANG.ARRAYINDEXOUTOFBOUNDSEXCEPTION XVECTORCURRENTDATE
	<a href="#"><u>PH11434</u></a>	XQE-DAT-0001 ERROR OCCURRED WHEN ADDING MYSQL'S STORED PROCEDURE TO A QUERY SUBJECT AND TESTING THIS IN FM.
	<a href="#"><u>PH11326</u></a>	DB2 ERROR WHEN USING DATA ITEM VALUE AS COLUMN HEADER AND CROSS JOIN
	<a href="#"><u>PH11105</u></a>	IE CRASHING WITH OUT OF MEMORY ERRORS WHEN USING DASHBOARDS WITH MULTIPLE MAP VISUALIZATIONS
	<a href="#"><u>PH10985</u></a>	XQE-DAT-0001 ERROR THROWS BY A IF-THEN-ELSE EXPRESSION IN AN ACTIVE LIST REPORT
	<a href="#"><u>PH10353</u></a>	RUNNING A SIMPLE REPORT WITH MAPS (11.1.X, 11.0.X, OR LEGACY) WILL CAUSE IE TO CRASH AND THROW OUT OF MEMORY BLOB ERROR
	<a href="#"><u>PH10161</u></a>	ALIAS ATTRIBUTES OF TOP LEVEL MEMBERS DO NOT SHOW IN REPORT
	<a href="#"><u>PH09785</u></a>	CROSS TAB SHOWS NO DATA WHEN FILTERED ON A STRING CONTAINING AN APOSTROPHE ' (SOURCE: DATA MODULE ON UPLOADED FILE - XLSX)
	<a href="#"><u>PH07751</u></a>	ERROR DUE TO COGNOS SQL WITH WHERE CLAUSE
	<a href="#"><u>PH04636</u></a>	SAPBW: DIMENSIONS GROUPS CANNOT BE IMPORTED BECAUSE DYNAMIC QUERY MODE SET LANGUAGE TO EN-US
	<a href="#"><u>PI93412</u></a>	JAVA.LANG.NULLPOINTEREXCEPTION WHEN ATTEMPTING TO UPDATE OBJECT IN FM WITH SALESFORCE DATASOURCE THAT HAS BEEN MODIFIED
	<a href="#"><u>PI86287</u></a>	RQP-DEF-0326 ERROR (RUNNING/VALIDATING A REPORT WITH SQL QUERY OBJECT THAT FAILS) WHEN TESTING A USER-DEFINED SQL.
	<a href="#"><u>PH09962</u></a>	CATALAN LANGUAGE IS AVAILABLE AFTER UPGRADING TO COGNOS ANALYTICS FROM COGNOS BI 10.2.2.
<b>Administration</b>	<a href="#"><u>PH17702</u></a>	IF REMOVE PACKAGE FROM ROUTING RULE USING REMOVE BUTTON, THE PACKAGE WILL BE REMOVED, BUT REOPEN THE ROUTING RULE, IT WILL SHOW

Component	APAR	Description
	<a href="#"><u>PH14970</u></a>	EASY INSTALLATION CHANGE YOUR PASSWORD FUNCTIONALITY REMOVED WITH 11.1.X
	<a href="#"><u>PH14496</u></a>	NEW URL PATH FROM FOLDER TO FILE SYSTEM DOESN'T WORK, THROWS CAF ERROR IN CLASSIC VIEWER, INVALID URL ERROR IN GLASS UI
	<a href="#"><u>PH14065</u></a>	EXCEL 2007 DATA TRANSLATION INTO RUSSIAN IS WRONG IN OLD UI AREAS
	<a href="#"><u>PH14052</u></a>	SPELLING MISTAKE IN DISPATCHERMESSAGES_DE.PROPERTIES
	<a href="#"><u>PH12556</u></a>	CANNOT HAVE DATA SOURCES AND SECURITY OBJECTS SHARING THE SAME NAME (Misleading Error)
	<a href="#"><u>PH11990</u></a>	CREATING A JOB AND ADDING REPORTS TO BE SENT VIA EMAIL WITH A LINK TO THE REPORT, THE EMAIL CONTAINS "XHTML" BUT IS NOT A LINK.
	<a href="#"><u>PH11899</u></a>	SCHEDULE DOES NOT RUN WHEN RUN ONCE IS CLICKED IN MY SCHEDULES AND SUBSCRIPTIONS
	<a href="#"><u>PH10334</u></a>	CREATING JOB WITH 'SAVE THE REPORT AS A REPORT VIEW' CLEARS OUT JOB STEPS IN UI
	<a href="#"><u>PH08789</u></a>	EMAIL BODY SHOWING AS NULL WHEN REPORT IS CONTAINED WITHIN A JOB
	<a href="#"><u>PI99418</u></a>	REPORT NAME MISSING UNDER MANAGE -->ACTIVITIES-->CURRENT WITH "RUNNING IN BACKGROUND UN-TICKED" IN CA 11.11
	<a href="#"><u>PI92696</u></a>	ODD AND INCONSISTENT THEME CUSTOMIZATION BEHAVIOR FOR NON-SYSTEM ADMINISTRATORS.
<b>Cognos Connection</b>	<a href="#"><u>PH12849</u></a>	BACKGROUND COLOR OF VALUE PROMPT IN PROMPT PAGE CHANGES WHEN RUN IN BACKGROUND.
<b>Cognos Cube Designer</b>	<a href="#"><u>PH11141</u></a>	ERROR DESCRIPTION SHOWN IN CUBE DESIGNER SAYS COGNOS 10 INSTEAD OF COGNOS 11
<b>Cognos Mobile</b>	<a href="#"><u>PH01474</u></a>	WONDER WHY "BLAH BLAH" IS IN PROPERTIES FILE <C11>/WEBAPPS/P2PD/WEB-INF/SCRIPTS/PROCESSORS/HISTORY.GROOVY

Component	APAR	Description
<b>Cognos SDK</b>	<a href="#"><u>PH13815</u></a>	DPR-ERR-2079 FIREWALL SECURITY REJECTION. YOUR REQUEST WAS REJECTED BY THE SECURITY FIREWALL.
<b>Cognos Security</b>	<a href="#"><u>PH12880</u></a>	RACF PROVIDER IS NO LONGER AVAILABLE IN COGCONFIG NO RACF PROVIDER ON AIX AND ZLINUX.
	<a href="#"><u>PH06861</u></a>	CJAP - JDBC SAMPLE DOES NOT WORK IN CA 11.1 - LOGON ATTEMPTS RESULT IN AAA-SYS-0001
<b>Cognos Viewer</b>	<a href="#"><u>PH14622</u></a>	QUERY STUDIO NOT DISPLAYING CANCEL BUTTON
	<a href="#"><u>PH13218</u></a>	QUERY STUDIO MODEL FILTER PROMPT APPEARS REPEATEDLY AFTER APPLYING IF 1010
	<a href="#"><u>PH13018</u></a>	FILTER FUNCTIONALITY AND RENDERING IS INCORRECT
	<a href="#"><u>PH12523</u></a>	MULTI SELECT VALUE PROMPTS SHOWS USING 11.X STYLE WHEN REPORT SET TO 10.X STYLE
	<a href="#"><u>PI93676</u></a>	REPORT SET TO "RUN WITH FULL INTERACTIVE" = "NO" RUNS IN THE NEW VIEWER WHEN RUN IN HTML BACKGROUND.
<b>Content Manager</b>	<a href="#"><u>PH18328</u></a>	GETTING ERROR MESSAGE WHEN UPGRADE FROM 11.1.3 TO COGNOS 11.1.4 WHEN BUILT IN GROUP OR ROLE IS MISSING
	<a href="#"><u>PH14610</u></a>	SERIOUS SYSTEM INSTABILITY. CM-SYS-5173 CONTENT MANAGER FAILED..
	<a href="#"><u>PH14464</u></a>	JAVA.LANG.INDEXOUTOFBOUNDSEXCEPTION WHEN USING A SID/CM/RID URL IN R13
	<a href="#"><u>PH08719</u></a>	ERROR: WE CAN'T CREATE YOUR SCHEDULE RIGHT NOW. TRY AGAIN LATER. WHEN CREATING A SCHEDULE USING GOOGLE OIDC NAMESPACE USERS.
	<a href="#"><u>PH04487</u></a>	COPYING OR DELETING MULTIPLE REPORTS FROM THE C11 PORTAL GENERATES ONE OPERATION IN THE COGAUDIT.LOG
	<a href="#"><u>PI95562</u></a>	LICENSES FOR ANALYTICS USER COUNT TOWARDS ANALYTICS ADMINISTRATOR

Component	APAR	Description
Content Navigation	<a href="#"><u>PH17738</u></a>	BLANK SCREEN IS PRESENTED WHEN TRYING TO UPDATE THE TENANT INFORMATION IN COGNOS 11.1.3
	<a href="#"><u>PH16716</u></a>	Custom folder is empty from App Pane
	<a href="#"><u>PH16007</u></a>	FLY OUT PANEL FOR TENANT SETTINGS AND PROPERTIES IS EMPTY FOR ALL OBJECTS
	<a href="#"><u>PH15418</u></a>	UNABLE TO DELETE, DOWNLOAD AND UPDATE ANY THEMES AFTER APPLYING 11.0.13 IF1019
	<a href="#"><u>PH15270</u></a>	CUSTOMIZATION FOLDER NOT VISIBLE
	<a href="#"><u>PH15052</u></a>	USER WITHOUT UPLOAD FILE CAPABILITY CAN SEE DRAG AND DROP FILES, OPEN QUICK LAUNCH OR BROWSE SECTION ON HOME PAGE
	<a href="#"><u>PH14117</u></a>	IN 11.1.2, REPORT STILL RUNS IN HTML USING SHARE LINK WHEN DEFAULT REPORT FORMAT IS SET TO PDF
	<a href="#"><u>PH14096</u></a>	CONTEXT MENU FOR THEMES AND EXTENSIONS DOES NOT OPEN SINCE IF1016 AND ISSUE STILL EXIST IN IF1018
	<a href="#"><u>PH13944</u></a>	THEME WITH TEXT CONTAINING AN APOSTROPHE DOES NOT DISPLAY PROPERLY IN 11.1.2
	<a href="#"><u>PH13689</u></a>	WHITE SPACE ADDED TO THE TEAM CONTENT SLIDE-OUT PANE WHEN SWITCHING THE BROWSER TO FULL SCREEN
	<a href="#"><u>PH13237</u></a>	CANNOT SEE "CREATE SHORTCUT" OPTION WITH "READ" PERMISSIONS
	<a href="#"><u>PH12617</u></a>	EMPTY CONTEXT BASED MENU FOR PACKAGE WHEN NOT HAVING READ PERMISSION
	<a href="#"><u>PH10061</u></a>	NUMBER AND SPECIAL CHARACTER SORT ORDER FOR COPY/MOVE IS DIFFERENT TO THE MAIN UI FLYOUT
	<a href="#"><u>PH10009</u></a>	IF A CUSTOM FOLDER NAME IS TOO LONG IT IS NOT DISPLAYED ON THE TOP OF THE LIST WHEN CLICKING ON CUSTOM FOLDER IN NAVIGATION BAR
	<a href="#"><u>PH07575</u></a>	UNABLE TO GET OPTIONS FOR A REPORT SHORTCUT AS A RESULT OF SEARCH
Dashboarding	<a href="#"><u>PH16123</u></a>	DASHBOARDS WIDGETS ARE NOT BEING FILTERED WHEN USING SUBSETS
	<a href="#"><u>PH15930</u></a>	INCORRECT DASHBOARD CALCULATION PREVIEW OCCURS REGARDLESS OF DASHBOARD, DATA, FUNCTION AND TEMPLATE TYPE.



Component	APAR	Description
	<u>PH14682</u>	NAVIGATION BAR SETTINGS CAUSES DISAPPEARANCE OF DASHBOARD WIDGET FILTER ICONS
	<u>PH14439</u>	DMR BASED DASHBOARD ERROR, WHEN PROMPT MACROS ARE USED IN THE DATA SOURCE AND SCHEMA DEFINITION IN FM.
	<u>PH14108</u>	DASHBOARD DRILL THROUGH TO REPORT NOT APPLIED TO ALL TABS/ ALL WIDGETS
	<u>PH13788</u>	SUMMARY ROW OF A TABLE VISUALIZATION IN A DASHBOARD DOES NOT CORRECTLY AGGREGATE CUSTOM CALCULATION COLUMN
	<u>PH12807</u>	UNABLE TO CHANGE THE TITLE COLOR OF A DASHBOARD VISUALIZATION USING 'FAVORITES' LIST
	<u>PH12322</u>	USERS WHO HAVE NO ABILITY TO ADD COLUMNS TO THE FILTER DOCK STILL SEE THE MESSAGE "DRAG AND DROP DATA HERE TO FILTER"
	<u>PH12268</u>	CREATING A DASHBOARD OFF A DATA MODULE REQUIRES A CLOSE OF THE DASHBOARD TO SEE DATA AFTER RELOAD
	<u>PH12226</u>	INCORRECT TRANSLATION INTO SWEDISH IN THE FORMAT DIALOG WINDOW WHEN EDITING A DASHBOARD
	<u>PH12222</u>	INCORRECT THOUSANDS SEPARATOR IN DASHBOARD SUMMARY WIDGETS WHEN USING SWEDISH LANGUAGE
	<u>PH11656</u>	NO DATA AVAILABLE WHEN DRILLING FROM DASHBOARD TO REPORT ON NULL VALUE
	<u>PH11029</u>	WHEN DRILLING UP IN DASHBOARD THE FILTER REMAINS.
	<u>PH09528</u>	COGNOS 11.1 R2 DOES NOT PRODUCE THE CORRECT OUTPUT WHEN TOP FUNCTION AND FILTER IS USED
<b>Delivery Service</b>	<u>PH14614</u>	JOB DELIVERY EMAIL DOES NOT CONTAIN HTML OUTPUT IN THE BODY OF THE EMAIL. IT SENDS REPORT AS AN ATTACHMENT.
	<u>PH10546</u>	CNC-SDS-0408 WATCH RULES FAIL TO SEND EMAILS BUT REPORTS AND SCHEDULES CAN STILL BE SENT
	<u>PH05974</u>	SMTPRULES FEATURE DOES NOT WORK IN COGNOS ANALYTICS

Component	APAR	Description
<b>Event Studio</b>	<a href="#"><u>PH12308</u></a>	CNC-ASV-0050 ERROR WHEN USING THE CONDITION 1=1
	<a href="#"><u>PH09674</u></a>	WHEN A USER HAS A LARGE NUMBER OF HTS ITEMS (12K) THE INBOX WIDGET IN WORKSPACE WILL RETURN A DIALOG BOX STATING 'UNSPECIFIED
	<a href="#"><u>PH06703</u></a>	NO ERROR MESSAGE IF YOU SET AGENT ON EVENT STUDIO WITHOUT RECIPIENTS
	<a href="#"><u>PH06701</u></a>	DELIVERY SERVICE(DLS) IS NOT CALLED WITHOUT RECIPIENT ON E-MAIL TASK
<b>Framework Manager</b>	<a href="#"><u>PH15886</u></a>	ORACLE STORED PROCEDURE IMPORTS WITH NO INPUT PARAMETERS IN DQM AND NOT AT ALL IN CQM IN 11.1.3.
	<a href="#"><u>PH12661</u></a>	RECENT IE UPDATE IS CAUSING SCRIPTING ERRORS WHEN LAUNCHING FRAMEWORK MANAGER WITH OPENID
<b>Job Scheduling and Monitor Service</b>	<a href="#"><u>PH15046</u></a>	UNABLE TO RUN ./TRIGGER.SH FROM COMMAND LINE. (linux)
	<a href="#"><u>PH13697</u></a>	ADVANCED SETTING FOR WHITELISTING EMAIL DOMAINS
	<a href="#"><u>PH08347</u></a>	SCHEDULING AN EVENT RETURNS - SAXEXCEPTION: INVALID ELEMENT
<b>Lifecycle Manager</b>	<a href="#"><u>PH11902</u></a>	HTML COMPARE IN LIFECYCLE MANAGER GIVES FALSE POSITIVES. IT DOES NOT DETECT ALL FONT OR FORMATTING DIFFERENCES
	<a href="#"><u>PH11900</u></a>	OPTION TO RUN REPORTS IN DQM DOES NOT WORK IN COGNOS ANALYTICS LIFECYCLE MANAGER
	<a href="#"><u>PH11875</u></a>	REPORT PROMPTS IN LIFECYCLE MANAGER DO NOT FUNCTION PROPERLY WHEN THE HOSTNAME FOR THE COGNOS ANALYTICS SERVER CONTAINS BI
<b>Managing</b>	<a href="#"><u>PH13991</u></a>	DATA TAG EDIT TO REMOVE AN OBJECT IS NOT DELETED

Component	APAR	Description
	<u>PH11901</u>	IN A SCHEDULE THE RECIPIENT LIST WILL BE OVERLAPPING WHEN THE FOLDERS ARE IN TOO MANY SUBFOLDERS
<b>Modeling</b>	<u>PH14996</u>	EXPRESSION LIKE '%20' IN A DATA MODULE CALCULATION IS CONVERTED TO LIKE '+'
	<u>PH12954</u>	DSS-GEN-0002 UNABLE TO FIND COLUMN <> IN DATA SET <>. ERROR WHEN TRYING TO ADD ANOTHER VIEW TO A DATA MODULE.
	<u>PH12903</u>	DATA MODULE CUSTOM SQL VALIDATION FAILS WITH LARGE SQL QUERY WHEN USING A WEB SERVER
	<u>PH12265</u>	VERTICAL SCROLLBAR DOES NOT APPEAR WHEN APPLYING SECURITY FILTERS ON DATAMODULE
	<u>PH10774</u>	"AMBIGUOUS CONNECTIONS" IN A DATAMODULE (NATIVE SQL) WHEN USING MULTIPLE DATASOURCE CONNECTIONS
	<u>PH10380</u>	CM JAVA CORING WHEN ATTEMPTING TO SAVE OR RELINK DATA SOURCES
	<u>PH10335</u>	ENRICH PACKAGE WITH MULTIPLE DATA SOURCES
	<u>PH08971</u>	DATA MODULE BASED ON A DATA SET AND A PACKAGE IGNORED THE DECIMAL AND THOUSAND DELIMITER
<b>Query Studio</b>	<u>PH10228</u>	UNABLE TO EDIT TEXT FILTERS IN QUERY STUDIO WHEN MORE THAN ONE DATA SOURCE CONNECTION DEFINED
	<u>PI99537</u>	QS REPORT PASSING DATE PARAMETER AS STRING IF PROMPT TYPE IS SELECT VALUE
<b>Report Authoring</b>	<u>PH16989</u>	WEBPAGE ERROR: UNABLE TO GET PROPERTY 'XXXXX' OF UNDEFINED OR NULL REFERENCE
	<u>PH15855</u>	UNABLE TO COPY/PASTE A DETAIL FILTER TO ANOTHER REPORT WHEN USING 11.1.3.
	<u>PH15752</u>	DRILL THROUGH ON A VISUALIZATION FAILS WITH TYPEERROR WHEN USING "DO NOT PASS PARAMETER"

Component	APAR	Description
	<u>PH15635</u>	MISSING VISUALIZATION PROPERTIES
	<u>PH15506</u>	JS ERRORS WHEN SELECTING DATA CONTAINER IN QUERY EXPLORER
	<u>PH15230</u>	ALL TEXTS UNDER VISUALIZATION CHART LEGEND OPTIONS ARE NOT TRANSLATED FOR NON-ENGLISH PRODUCT LANGUAGE
	<u>PH14997</u>	ADDING OR MODIFYING ADVANCED CONDITIONS ON CHARTS THROWS TYPENULL ERRORS
	<u>PH14724</u>	DATA CONTAINER ERROR WHEN TRYING TO COPY VISUALIZATION WHICH CONTAINS A DRILL THROUGH DEFINITION
	<u>PH14388</u>	JAVASCRIPT ERROR POPS UP WHEN RUNNING REPORT WITH FULL INTERACTIVITY IN FIREFOX 68
	<u>PH14244</u>	AFTER DRILL THROUGH, TOGGLING A CONDITIONAL BLOCK IN TARGET REPORT CAUSES PROMPT PAGE TO SHOW
	<u>PH14173</u>	UNABLE TO DRILL THROUGH TO TARGET REPORT WHEN FULL INTERACTIVITY IS SET TO NO. DPR-ERR-2079 FIREWALL SECURITY REJECTION
	<u>PH14145</u>	REFERENCEERROR IS DISPLAYED WHEN CHANGING NUMBER STYLE IN AUTHORIZING
	<u>PH13016</u>	COPY AND PASTE FROM ONE QUERY TO ANOTHER BETWEEN 2 REPORTS NOT POSSIBLE
	<u>PH12714</u>	SELECT VALUE PROMPT CHOICES INHERIT PARENT ALIGNMENT IN IE11
	<u>PH12609</u>	HOVERING OVER ON A SINGLETON IN A HTML REPORT OUTPUT CAUSES TYPEERROR: UNABLE TO GET PROPERTY 'PARENTELEMENT' IN IE
	<u>PH11914</u>	IFRAME WITH PARAMETER AND VALUE SET DOES NOT AUTOMATICALLY RUN THE REPORT.
	<u>PH10890</u>	DRAGGING A TEXT ITEM TO A LAYOUT COMPONENT REFERENCE GIVE TYPEERROR: CANNOT READ CHILD PROPERTY 'CHILDNODES' OF NULL
	<u>PH09329</u>	DRILL TARGETS REFERRING TO REPORT ID INSTEAD OF REPORT REF PATH
	<u>PH08728</u>	WARNING POP-UP WHEN RUNNING INTERACTIVE REPORT AS A USER WITH NO READ PERMISSION ON THE REPORT OR DATA MODULE
	<u>PH08235</u>	EXTERNAL DATA WITH CQM PACKAGE CAUSE DATA ITEMS LIST AS UNDEFINED AND RE-PUBLISH THROUGH ERROR
	<u>PH03165</u>	BROWSER REFRESH (F5) CAUSES THE REPORT TO OPEN IN EDIT MODE

Component	APAR	Description
	<u>PH02552</u>	EMPTY LINES ARE TRUNCATED FROM THE REPORT DESCRIPTION() USED IN A RICH ITEM TEXT IN THE REPORT EXPRESSION
<b>Report Server</b>	<u>PH18427</u>	DRILL THROUGH PASSES PARAMETER VALUE SEVERAL TIMES
	<u>PH17134</u>	PROMPTS IN CUSTOM CONTROL NOT WORKING PROPERLY WHEN REPORT RUN TO EXCEL FROM THE PORTAL
	<u>PH16785</u>	DRILL THROUGH PASSING LARGE LIST OF VALUES
	<u>PH16489</u>	PROMPT REPORT RUN IN BACKGROUND THROWS TYPE NULL ERROR IN EXCEL
	<u>PH16433</u>	UNABLE TO NEST DATA ITEMS IN CHART TYPE CLUSTERED BAR CHART
	<u>PH15923</u>	UNABLE TO ADD CROSSTAB SPACE ON THE LEFT AND RIGHT OF AN EXISTING CROSSTAB SPACE WHEN GUIDED REPORT LAYOUT IS ENABLED
	<u>PH15909</u>	REPORT URL WITH PROMPT=FALSE WILL STILL PROMPT IN 11.0.13
	<u>PH15622</u>	ADVANCE PROPERTY RSVP.EXCEL.XLS2007_ALLOW_WRAPPING_SINGLE_CELL IS NOT WORKING IN CA 11.1.3
	<u>PH13710</u>	CALCULATION IN DATA MODULE ARE NOT DISPLAYED WITH CORRECT HEADER AND DATA FORMAT
	<u>PH13214</u>	REPORT RUN TO EXCEL FORMAT WHICH HAS BEEN SAVED TO THE FILE SYSTEM CONTAINS END OF FILE MARKER AT 45,000 ROWS.
	<u>PH13208</u>	LEGEND TITLE IS VISIBLE IN PDF/EXCEL FORMAT EVEN THOUGH ITS BEEN DISABLED FOR VISUALIZATION
	<u>PH13187</u>	THE OPTION ( SHOW MISSING DATA AS GAP) IN LINE CHARTS DOESN'T WORK
	<u>PH13087</u>	UNABLE TO COPY ASSETS BETWEEN REPORTS CONTAINING A CONDITIONAL VARIABLE USING A SPECIAL CHARACTER
	<u>PH12909</u>	SELECT AND SEARCH PROMPT DOES NOT RESPECT RUN WITH FULL INTERACTIVITY SETTINGS IN BACKGROUND
	<u>PH12862</u>	ALIGNMENT OF SELECT AND SEARCH PROMPT WAS CHANGED AFTER APPLYING FP1

Component	APAR	Description
	<u>PH12842</u>	SOURCE REPORT FOR PDF IN A DRILL THROUGH SETUP GOES BLANK FOR SAVED OUTPUT VERSION
	<u>PH12839</u>	HTML REPORT OUTPUT IS NOT WELL FORMED WHEN VIEWING TABULAR DATA AGAINST A QUERY
	<u>PH12705</u>	THE LINE SPACING ON MULTI-VALUE, VALUE PROMPTS IS INCONSISTENT BETWEEN COGNOS ANALYTICS 11.1.1 AND COGNOS ANALYTICS 11.1.2
	<u>PH12184</u>	Personal Preferences prevent running to HTML in edit mode
	<u>PH12108</u>	UNABLE TO CONVERT EXPLORATION TO CUSTOM REPORT IN PA FOR EXCEL AGAINST CA 11.1.2
	<u>PH11249</u>	GEN-ERR-0002 ERROR RUNNING REPORTS AFTER UPGRADE TO 11.0.13
	<u>PH10647</u>	DRILL-THROUGH TO SAME REPORT FAILS BY CM-CAM-4005 AFTER LOGON SESSION TIMEOUT IN LTPA SSO ENVIRONMENT.
	<u>PH09780</u>	BACKGROUND REPORT CONTINUES TO RUN AFTER BEING CANCELLED IN DISTRIBUTED ENVIRONMENT
	<u>PH07937</u>	WITH RSVP.PARAMETERS.LOG SET TO TRUE, SOME REPORTS DO NOT LOG ANY PARAMETERS IN THE AUDIT STORE TABLE COGIPF_PARAMETER
	<u>PH02628</u>	ERROR WHEN RUNNING A REPORT TO EXCEL FROM PORTAL WHEN REPORT CONTAINS JAVASCRIPT IN CUSTOM CONTROL
	<u>PH14430</u>	REPORT USING CUSTOM CONTROL THROWS TYPE NULL ERROR IN PDF AND EXCEL
<b>Report Studio</b>	<u>PH15249</u>	OPEN TARGET REPORT FROM SOURCE REPORT, THE NAME DOES NOT CHANGE TO TARGET REPORT, IF THERE IS VIEW VERSIONS CREATED FOR THE SOUR
	<u>PH14988</u>	WHEN CANCEL REPORT FROM VIEW TABULAR DATA, COGNOS DIRECT BACK TO WELCOME PAGE INSTEAD OF CUSTOM DEFAULT HOMEPAGE
	<u>PH14844</u>	TYPEERROR' OCCURS BY PRESSING 'ENTER' KEY AFTER SELECTING ANY OPTIONS ON 11.1.3 CUSTOM FILTER.
	<u>PH14644</u>	DRILLTHROUGH CONTAINED IN A SINGLETON FAILS WITH TYPEERROR USING IE11 BROWSER

Component	APAR	Description
	<u>PH06122</u>	USERS WHO HAVE RUN PERMISSION ON REPORT ARE ABLE TO OPEN IT UP IN EDIT MODE AFTER REFRESHING THE BROWSER WHILE RUNNING IT
<b>Samples</b>	<u>PH15536</u>	THE TEXT ABOVE AND BELOW THE PROMPT TELLS THE USER TO SELECT A PACKAGE, WHEN IT SHOULD TELL THEM TO SELECT A USER NAME.
	<u>PH12355</u>	XQE-DAT-0001 ORA-12704: CHARACTER SET MISMATCH WHEN RUNNING AUDIT REPORTS IN 11.0.13 FP1
	<u>PH11992</u>	ORA-12704 CHARACTER MISMATCH WHEN USING STRING LITERAL IN ANY CONSTRUCT IN ORACLE DQM
<b>Search</b>	<u>PH18714</u>	INDEXING DOES NOT WORK AFTER UPGRADING TO 11.1.3, SOLR/LUCENE HOLDS A LOCK ON THE INDEX FILES
	<u>PH12454</u>	SEA-GEN-0001 ERROR IS SHOWN IN COGNOSSEVER.LOG WHEN CA11.1.2 INSTALLED ON ENGLISH OS WITH FRENCH REGIONAL SETTINGS
	<u>PH10395</u>	WITH A SEARCH, USER CAN SEE CONTENT IN A RESTRICTED FOLDER
	<u>PH05908</u>	SEARCH IS UNABLE TO FIND SOME OBJECTS
	<u>PH05396</u>	REPORT APPEARS IN SEARCH RESULTS IF USER DOES NOT HAVE PERMISSION TO ACCESS FOLDER STRUCTURE AND REPORT
	<u>PI82083</u>	SEARCHING FOR A STRING IN COGNOS 11.0.6 RETURNS AN UNEXPECTED SET OF RESULTS IF CONTENT LANGUAGE IS CHANGED
<b>Smarts</b>	<u>PH11678</u>	POWERCUBE DATA TAKES LONGER TO LOAD IN A DASHBOARD WHEN CONTENT LANGUAGE SET TO SPANISH